

4

3

2

1

PARTS LIST						
ITEM	DESCRIPTION	ITEM QTY	PULL/CUT QTY	STOCK NUMBER	RECYCLED CONTENT %	RECYCLABLE
1	GYPSUM FACE SHEET 5/8"	2	1		28	Yes
2	GYPSUM CORE BOARD 1"	1	1		28	Yes
3	GYPSUM CORE BOARD 1"	1	1		28	Yes
4	FLOOR RUNNER	1	24 in	22709	75	Yes
5	CEILING RUNNER	1	24 in	6094	75	Yes
6	THERMAFIBER SFAB	1	1	CUSTOM	70	No
7	4" VINYL BASE	2	24 in	125284	0	No
8	LAMINATE ADHESIVE	1	2 lbmass		0	No

5

3

6

2

1

4

7

8

1

5

3

6

2

1

4

7

6

1

5

3

6

2

1


4

7

6

1


DRAWN rchapa	02/01/23	SYMBIO by ENVIRONAMICS		
CHECKED		TITLE		
QA		GROOVE SYSTEM		
MFG				
APPROVED		SIZE B	DWG NO V- WALL	REV
		SCALE 1 / 9	SHEET 1 OF 1	



PARTS LIST					
ITEM	DESCRIPTION	ITEM QTY	PULL/CUT QTY	STOCK NUMBER	RECYCLED CONTENT %
1	GLAZED PANEL RAIL	2	46.672 in	30765	75
2	M-WALL PANEL YOKE	2	75.84375 in	33387	75
3	CEILING RUNNER	1	48 in	6094	75
4	NARROW FLOOR RUNNER	1	48 in	37259	75
5	GLAZED PANEL STILE	2	81.625 in	31425	75
6	M-WALL PANEL YOKE	2	46.672 in	33387	75
7	ALUMINUM BASE TRIM 6"	2	48 in	ETF-16	75
8	CENTER SUPPORT SADDLE	2	4 in	TXT-3064	75
9	BASE CLIP	2	48 in	129355	0
10	VINYL LIGHT SEAL	4	81.609 in	VTR-1611	0
11	HARD PANEL INSERT	2	1	CUSTOM	88
12	VALULITE24 INSULATION	1	1	CUSTOM	25
13	1/2" SPACER BOLT, 3-3/4"LG	2	1	925471	25
14	#6 X 1" CAD PFH	20	1	61	25
15	Hex Nut, 1/2-13	2	1	1213	25

1. REMOVE BASE PLATES
2. REMOVE PLASTIC MP CLIPS FROM BOTH SIDES OF PANEL
3. REMOVE PANEL BY LIFTING UP FROM BOTTOM
4. REMOVE PANEL FEET BY LOOSENING (4) #6 SCREWS
5. DISASSEMBLE THE FRAME BY REMOVING ALL (4) #6 SCREWS AT EACH CORNER
6. REMOVE LIGHT SEALS AND PANEL YOKES FROM STILES
7. RECYCLE ALUMINUM AND STEEL COMPONENTS

DRAWN rchapa	02/01/23	SYMBIO by ENVIRONAMICS			
CHECKED					
QA					
MFG		TITLE FRAMED PANEL SYSTEM			
APPROVED					
		SIZE N/A		DWG NO HARD INSERT	REV
		SCALE 1 / 4		SHEET 1 OF 1	



PARTS LIST					
ITEM	DESCRIPTION	ITEM QTY	PULL/CUT QTY	STOCK NUMBER	RECYCLED CONTENT %
1	GLAZED PANEL RAIL	2	46.672 in	30765	75
2	CEILING RUNNER	1	48 in	6094	75
3	NARROW FLOOR RUNNER	1	48 in	37259	75
4	GLAZED PANEL BEVELED STILE	2	81.609 in	31425	75
5	ALUMINUM BASE TRIM 6"	2	48 in	ETF-16	75
6	CENTER SUPPORT SADDLE	2	4 in	TXT-3064	75
7	BASE CLIP	2	48 in	129355	0
8	GLAZING CHANNEL BEAD	2	46.672 in	VTR-1405	0
9	GLAZING CHANNEL BEAD	2	81.625 in	VTR-1405	0
10	VINYL LIGHT SEAL	4	81.609 in	VTR-1611	0
11	1/4" CLEAR TEMPERED GLASS	1	1	CUSTOM	0
12	1/2" SPACER BOLT, 3-3/4"LG	2	1	925471	25
13	#6 X 1" CAD PFH	20	1	61	25
14	Hex Nut, 1/2-13	2	1	1213	25

1. REMOVE BASE PLATES
2. REMOVE PLASTIC MP CLIPS FROM BOTH SIDES OF PANEL
3. REMOVE PANEL BY LIFTING UP FROM BOTTOM
4. REMOVE PANEL FEET BY LOOSENING (4) #6 SCREWS
5. DISASSEMBLE THE FRAME BY REMOVING ALL (4) #6 SCREWS AT EACH CORNER
6. REMOVE LIGHT SEALS AND GLAZING CHANNELS FROM STILES
7. RECYCLE GLASS, ALUMINUM, AND STEEL COMPONENTS

DRAWN rchapa	02/01/23	SYMBIO by ENVIRONAMICS			
CHECKED					
QA		TITLE SYMBIO FRAMED PANEL			
MFG					
APPROVED					
		SIZE N/A		DWG NO CENTER GLAZED	REV
		SCALE 9:40		SHEET 1 OF 1	